

## **AMENDMENTS TO THE CLAIMS:**

The listing of claims below will replace all prior versions and listings of claims in this application. Deleted matter is shown by strikethrough and added matter is shown by underlining.

### **Listing Of Claims:**

- 1        1. An elastomeric gripping element, configured to fit over a gripping section of an  
2 article, said gripping element comprising:  
3            a textured outer surface; and  
4            a plurality of elevated sections extending from said outer surface;  
5            wherein said elevated sections are intercalated, spaced apart ~~shapes~~ polygons.
- 1        2. The gripping element of claim 1, wherein said elevated sections are raised at least  
2 about 0.1 mm above said outer surface.
- 1        3. The gripping element of claim 1, wherein said elevated sections are raised at most  
2 about 3.0 mm above said outer surface.
- 1        4. The gripping element of claim 1, wherein said grip element is formed from an anti  
2 slip material.
- 1        5. The gripping element of claim 1, wherein said grip element is formed from a resilient  
2 material.
- 1        6. The gripping element of claim 1, wherein said grip element is fabricated of a  
2 thermoplastic elastomer.
- 1        7. The gripping element of claim 1, wherein said grip element has a Shore A hardness of  
2 at least about 50 durometer.
- 1        8. The gripping element of claim 1, wherein said grip element has a Shore A hardness of  
2 at most about 70 durometer.
- 1        9. The gripping element of claim 1, wherein said elevated sections are sufficiently  
2 spaced apart such that small particles cannot become lodged between said elevated sections

3 . and any particle large enough to become lodged between said elevated sections can be readily  
4 dislodged.

1 10. The gripping element of claim 1, wherein said elevated sections have a smooth outer  
2 surface.

**AMENDMENTS TO THE DRAWINGS:**

Please replace sheet 1 of the drawings with the attached Replacement Sheet 1. Replacement Sheet 1 contains amendments to Figs. 1 and 2. In Fig. 1, previously omitted reference character **32** has been added. In Fig. 2, previously omitted reference character **34** has been added.